

OUTBACK



SUBARU

Confidence in Motion



SPECIFICATIONS

Item	Symmetrical AWD (All-Wheel Drive)									
	2.0D BASE	2.0D BASE EyeSight	2.0D	2.0D EyeSight	2.0D-S	2.0D-S EyeSight	2.5i BASE EyeSight	2.5i EyeSight	2.5i-S EyeSight	
	6MT	Lineartronic	6MT	Lineartronic	6MT		Lineartronic			
Engine										
Type	Horizontally-opposed, 4-cylinder, 4-stroke, turbocharged, diesel engine						Horizontally-opposed, 4-cylinder, 4-stroke, petrol engine			
	DOHC 16-valve									
Bore/Stroke	mm	86 x 86						94 x 90		
Capacity	cc	1,998						2,498		
Compression ratio		15.2						10.3:1		
Fuel system		Common rail system						Multi Point Sequential Injection		
Fuel tank capacity	lit.	60								
Performance										
Max. output (DIN)	kW (PS) /rpm	110 (150) / 3,600						129 (175) / 5,800		
Max. torque (DIN)	Nm (kgfm) /rpm	350 (35.7) / 1,600 - 2,800						235 (24.0) / 4,000		
Max. speed	km/h	200	192	200	192	200	192	198		
Acceleration (0-100 km/h)	sec.	9.7	9.9	9.7	9.9	9.7	9.9	10.2		
Fuel consumption*1	Urban	lit./100 km	6.9	7.5	6.9	7.5	6.9	7.5	8.7	
	Extra-urban	lit./100 km	4.8	5.3	4.8	5.3	4.8	5.3	6.0	
	Combined	lit./100 km	5.6	6.1	5.6	6.1	5.6	6.1	7.0	
CO ₂ emissions*1	Urban	g/km	178	194	178	194	178	194	201	
	Extra-urban	g/km	126	139	126	139	126	139	138	
	Combined	g/km	145	159	145	159	145	159	161	
Drivetrain										
All-Wheel Drive type		Centre differential gear coupled with viscous LSD	Active Torque Split AWD system	Centre differential gear coupled with viscous LSD	Active Torque Split AWD system	Centre differential gear coupled with viscous LSD	Active Torque Split AWD system			
Dimensions & weight										
Overall length	mm	4,815								
Overall width	mm	1,840								
Overall height with roofrails	mm	1,605								
Wheelbase	mm	2,745								
Track	Front	mm	1,575							
	Rear	mm	1,590							
Minimum road clearance (at kerb weight)	mm	200								
Cargo volume*2	lit.	1,848								
Seating capacity	persons	5								
Kerb weight	kg	1,612	1,668	1,620	1,676	1,635	1,689	1,575	1,582	1,598
Towing capacity	kg	1,800						2,000		
Transmission										
Gear ratio	D range (Lineartronic)	-	3.505-0.544	-	3.505-0.544	-	3.505-0.544	3.581-0.570		
	1st	3.545	3.505	3.545	3.505	3.545	3.505	3.581		
	2nd	1.888	2.285	1.888	2.285	1.888	2.285	2.262		
	3rd	1.062	1.567	1.062	1.567	1.062	1.567	1.658		
	4th	0.785	1.179	0.785	1.179	0.785	1.179	1.208		
	5th	0.634	0.910	0.634	0.910	0.634	0.910	0.885		
	6th	0.557	0.723	0.557	0.723	0.557	0.723	0.618		
	7th	-	0.582	-	0.582	-	0.582	-		
Reverse	3.636	3.407	3.636	3.407	3.636	3.407	3.667			
Final drive axle ratio		4.444	4.111	4.444	4.111	4.444	4.111	4.111		
Chassis										
Steering		Electric power-assisted rack-and-pinion								
Suspension (4-wheel independent)	Front	MacPherson struts, lower L-arms, coil springs, stabilizer bar								
	Rear	Double wishbone, coil springs, stabilizer bar								
Minimum turning circle at tyre (radius)	m	5.5								
Brakes	Front	Ventilated disc brakes								
	Rear	Ventilated disc brakes								
Tyre/wheel size		225/65R17, 17 x 7"J			225/60R18, 18 x 7"J		225/65R17, 17 x 7"J		225/60R18, 18 x 7"J	

*1 Fuel consumption and CO₂ emissions: According to EC715/2007-EC136/2014W.

*2 Measured by VDA (V214).

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

STANDARD AND OPTIONAL FEATURES

Item	2.0D BASE	2.0D BASE Eyesight	2.0D	2.0D Eyesight	2.0D-S	2.0D-S Eyesight	2.5I BASE Eyesight	2.5I Eyesight	2.5I-S Eyesight
	6MT	Lineartronic	6MT	Lineartronic	6MT	Lineartronic	Lineartronic	Lineartronic	Lineartronic
Exterior									
Auto on/off headlamps	●	●	●	●	●	●	●	●	●
LED headlamps with auto leveliser	-	-	●	●	●	●	-	●	●
Pop-up type headlamp washers	-	-	●	●	●	●	-	●	●
Front fog lamps	●	●	●	●	●	●	●	●	●
Rear fog lamp	●	●	●	●	●	●	●	●	●
Power-folding door mirrors with built-in LED turn signal	●	●	●	●	●	●	●	●	●
UV protection glass: Windshield, front and rear side windows	●	●	●	●	●	●	●	●	●
Privacy glass for rear doors, rear quarters and rear windows	-	-	OP	OP	●	●	-	OP	●
Intermittent rear window wiper	●	●	●	●	●	●	●	●	●
17-inch aluminium alloy wheels	●	●	●	-	-	-	●	●	-
18-inch aluminium alloy wheels	-	-	-	-	-	-	-	-	-
Power sliding, tilt-adjustable glass sunroof	-	-	OP	OP	OP	OP	-	OP	OP
Roof rails	●	●	●*1	●*1	●*1	●*1	●*1	●*1	●*1
Side Cladding	●	●	●	●	●	●	●	●	●
Roof spoiler	●	●	●	●	●	●	●	●	●
Seating / Trims									
Leather wrapped steering wheel	-	-	OP	OP	●	●	-	OP	●
Leather seats	-	-	OP	OP	●	●	-	OP	●
Manual seat lifter (driver's seat)	●	●	-	-	-	-	●	-	-
8-way power adjustable driver's seat (with lumbar support)	-	-	●	●	●	●	-	●	●
Manual seat lifter (passenger's seat)	●	●	●	-	-	-	●	-	-
8-way power adjustable passenger's seat	-	-	OP	OP	●	●	-	OP	●
Seat memory function (driver's seat)	-	-	OP	OP	●	●	-	OP	●
Front seat heaters	-	-	●	●	●	●	-	●	●
60/40 split folding and reclining rear seats	●	●	●	●	●	●	●	●	●
One-touch lever folding rear seats	●	●	●	●	●	●	●	●	●
Seat back pocket	●	●	●	●	●	●	●	●	●
Stainless side sill plates on side sill trim	-	-	-	-	●	●	-	-	●
Comfort / Convenience									
Power windows*2	●	●	●	●	●	●	●	●	●
Remote control key system	●	●	●	●	●	●	●	●	●
Keyless Access and Push Start System	-	-	OP	OP	●	●	-	OP	●
PIN Code Access	-	-	OP	OP	●	●	-	OP	●
Welcome lighting*3	●	●	●	●	●	●	●	●	●
One-touch lane changer	●	●	●	●	●	●	●	●	●
Electronic parking brake	●	●	●	●	●	●	●	●	●
Map lamps with overhead cascade lighting	●	●	●	●	●	●	●	●	●
Luggage space lamp	●	●	●	●	●	●	●	●	●
Vanity mirrors with lids and lamps (for driver and front passenger)	●	●	●	●	●	●	●	●	●
Centre tray	●	●	●	●	●	●	●	●	●
Centre console box	●	●	●	●	●	●	●	●	●
Front cup holders	●	●	●	●	●	●	●	●	●
Door pockets with bottle holders (on all side doors)	●	●	●	●	●	●	●	●	●
Rear cup holders (in rear seat centre armrest)	●	●	●	●	●	●	●	●	●
Rear seat centre armrest	●	●	●	●	●	●	●	●	●
Interior fuel lid lock release	●	●	●	●	●	●	●	●	●
12-volt power outlet (in the centre console box)	●	●	●	●	●	●	●	●	●
Power rear gate	-	-	OP	OP	●	●	-	OP	●
4 cargo hooks	●	●	●	●	●	●	●	●	●
2 luggage hooks	●	●	●	●	●	●	●	●	●
Retractable cargo cover	●	●	●	●	●	●	●	●	●
Box sub-trunk (under cargo storage)	●	●	●	●	●	●	●	●	●
Tyre repair kit	●	●	●	●	●	●	●	●	●
Climate control									
Dual-zone automatic air-conditioning system with anti-dust filter	●	●	●	●	●	●	●	●	●
Rear ventilation system	-	-	OP	OP	●	●	-	OP	●
Heater ducts for rear passengers	●	●	●	●	●	●	●	●	●
Windshield wiper de-icer	-	-	●	●	●	●	-	●	●
Automatic rain-sensing windshield wipers	●	●	●	●	●	●	●	●	●
Heated door mirrors	●	●	●	●	●	●	●	●	●
Front and side defrosters	●	●	●	●	●	●	●	●	●
Electric rear window defogger with timer	●	●	●	●	●	●	●	●	●

Item	2.0D BASE	2.0D BASE Eyesight	2.0D	2.0D Eyesight	2.0D-S	2.0D-S Eyesight	2.5I BASE Eyesight	2.5I Eyesight	2.5I-S Eyesight
	6MT	Lineartronic	6MT	Lineartronic	6MT	Lineartronic	Lineartronic	Lineartronic	Lineartronic
Entertainment and Navigation									
SUBARU STARLINK infotainment system with 6.2-inch colour display audio system : 1-CD and 6 speakers	●	●	-	-	-	-	●	-	-
SUBARU STARLINK infotainment system with Premium audio system*4 : 1-CD and 6 speakers	-	-	●	●	●	●	-	●	●
SUBARU STARLINK infotainment system with SD card type navigation*4 and audio system : 1-CD and 6 speakers	-	-	OP	OP	OP	OP	-	OP	OP
SUBARU STARLINK infotainment system with SD card type navigation*4 and Harman/Kardon+Premium Audio System : 1-CD and 12 speakers	-	-	-	-	OP	OP	-	-	OP
Voice recognition system (Command speech and One shot)	●	●	●	●	●	●	●	●	●
Steering wheel mounted audio remote control switches	●	●	●	●	●	●	●	●	●
Bluetooth®*5 compatible hands-free system	●	●	●	●	●	●	●	●	●
Single USB port and auxiliary audio input jack	●	●	-	-	-	-	●	-	-
Dual USB ports and auxiliary audio input jack	-	-	●	●	●	●	-	●	-
Rear vision camera system	●	●	●	●	●	●	●	●	●
Control / Instruments									
5-inch full-colour LCD screen including Eyesight display with Electro-luminescent gauges	-	●	-	●	-	●	●	●	●
3.5-inch full-colour LCD Display with Electro-luminescent gauges	●	-	●	-	●	-	-	-	-
ECO gauge	●	●	●	●	●	●	●	●	●
Shift up indicator	●	-	●	-	●	-	-	-	-
Engine oil level warning lamp	●	●	●	●	●	●	●	●	●
Tilt-adjustable/telescopic steering wheel	●	●	●	●	●	●	●	●	●
Paddle shift	-	-	-	-	-	-	●	●	●
Cruise control	●	●	-	●	●	●	●	●	●
Auto Start Stop (Idling stop)	-	-	-	-	-	-	●	●	●
Drivability									
SI-DRIVE (SUBARU Intelligent Drive)	-	-	-	-	-	-	●	●	●
X-MODE	-	●	-	●	-	●	●	●	●
Hill Descent Control	-	●	-	●	-	●	●	●	●
Active Torque Vectoring	●	●	-	●	-	●	●	●	●
Vehicle Dynamics Control System with OFF switch	●	●	●	●	●	●	●	●	●
Traction Control System	●	●	●	●	●	●	●	●	●
Hill holder	●	●	●	●	●	●	●	●	●
Safety									
EyeSight	-	●	-	●	-	●	●	●	●
Front SRS** airbags	●	●	●	●	●	●	●	●	●
Front side SRS** airbags (for driver and front passenger)	●	●	●	●	●	●	●	●	●
Curtain SRS** airbags (front and rear, both sides)	●	●	●	●	●	●	●	●	●
Knee SRS** airbags	●	●	●	●	●	●	●	●	●
Seatbelt indicator	●	●	●	●	●	●	●	●	●
Front seatbelts with pretensioners and load limiters	●	●	●	●	●	●	●	●	●
Height adjustable seatbelt anchors (for driver and front passenger)	●	●	●	●	●	●	●	●	●
Rear 3-point seatbelts for 3 seating positions	●	●	●	●	●	●	●	●	●
Safety pedal system	●	●	●	●	●	●	●	●	●
4-sensor/4-channel ABS with Electronic Brake-force Distribution	●	●	●	●	●	●	●	●	●
Brake assist system	●	●	●	●	●	●	●	●	●
Brake Over Ride	●	●	●	●	●	●	●	●	●
ISO-FIX adapted child seat anchors (with tether anchors)	●	●	●	●	●	●	●	●	●
Child-proof rear door locking (both sides)	●	●	●	●	●	●	●	●	●
Engine immobiliser	●	●	●	●	●	●	●	●	●

*1 Equipped with silver roof rails.

*2 Front side and rear side windows have auto up/down function with pinch protection (Driver's side front window only for BASE models).

*3 Side lights, tail lights and license plate lights will turn on when exiting the vehicle.

*4 Equipped with 7-inch VGA centre display.

*5 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.

*6 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

Standard and optional features, model lineup may vary according to market.



SUBARU

Confidence in Motion

FUJI HEAVY INDUSTRIES LTD.
subaru-global.com

Printed in Belgium (15BOXXX-01SS)