

# **SPECIFICATIONS**

			Symmetrical AWD (	(All-Wheel Drive)
Item			2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight
Item			2.5L Direct Injection	
			Lineart	ronic
Engine				
Туре			Horizontally opposed, petrol e	
			DOHC 16	5-valve
Bore/Stroke		mm	94.0 ×	90.0
Capacity		сс	249	8
Compression ratio			12.	0
Fuel system			Direct fuel	injection
Fuel tank capacity		lit.	63	
Perfomance				
Max. output (DIN)		kW (PS) / rpm	124 (169) / 5,0	000 - 5,800
Max. torque (DIN)		Nm (kgfm) / rpm	252 (25.7)	/ 3,800
Max. speed		km/h	193	3
Acceleration (0-100 km/h)		sec.	10.	2
	Low	lit./100 km	12.	2
	Medium	lit./100 km	8.1	
Fuel consumption*1	High	lit./100 km	7.1	
	Extra-High	lit./100 km	8.7	
	Combined	lit./100 km	8.6	5
	Low	g/km	270	5
	Medium	g/km	183	3
CO <sub>2</sub> emissions*1	High	g/km	161	1
	Extra-High	g/km	196	
	Combined	g/km	193	
External noise level*2		dB(A)	67	
Drivetrain				
All-Wheel Drive type			Active Torque Sp	lit AWD system
Dimensions & weight				
Overall length		mm	487	0
Overall width		mm	187	5
Overall height		mm	1675	1670
Wheelbase		mm	274	5

			Symmetrical AWD	(All-Wheel Drive)	
Item			2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	
T.C.III			2.5L Direc	t Injection	
			Linear	tronic	
Track	Front	mm	15	70	
ITack	Rear	mm	16	00	
Minimum road clearance (at kerb weight)		mm	21	3	
Cargo volume*3		lit.	18.	22	
Seating capacity		persons	5	i	
Kerb weight		kg	1644	1645	
Towing capacity		kg	20	00	
Transmission					
	D range (Lineartronic)		4.066 -	0.503	
	1st		4.066 (Mar	ual mode)	
	2nd		2.628 (Man	ual mode)	
	3rd		1.911 (Manual mode)		
Gear ratio	4th		1.490 (Manual mode)		
Gearratio	5th		1.166 (Manual mode)		
	6th		0.914 (Man	ual mode)	
	7th		0.717 (Man	ual mode)	
	8th		0.559 (Mar	ual mode)	
	Reverse		4.3	79	
Final drive axle ratio			3.9	00	
Chassis					
Steering			Rack and pinion, electric	power steering system	
Suspension	Front		MacPherson	n strut type	
(4-wheel independent)	Rear		Double wisl	nbone type	
Minimum turning circle at tyre (radius)		m	5.	5	
Brakes	Front		Ventilated (	disc brakes	
DIGINES	Rear		Ventilated (	disc brakes	
Tyre/wheel size			225/60R1	8, 18×7″J	

<sup>\*1</sup> Fuel consumption and CO $_2$  emissions: according to EC 715/2007 - 2023/443EA. \*2 External noise: according to EU 540/2014 - 2019/839. \*3 Measured by VDA (V214).

# **SPECIFICATIONS**

			Symmetrical AWI	D (All-Wheel Drive)
Item			2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
			2.5L Dire	ct Injection
			Linea	rtronic
Engine				
Туре				d, 4-cylinder, 4-stroke, l engine
			DOHC	16-valve
Bore/Stroke		mm	94.0	× 90.0
Capacity		сс	2	498
Compression ratio			1	2.0
Fuel system			Direct fu	el injection
Fuel tank capacity		lit.		63
Perfomance				
Max. output (DIN)		kW (PS) /rpm	124 (169) /	5,000 - 5,800
Max. torque (DIN)		Nm (kgfm) /rpm	252 (25.	.7)/3,800
Max. speed		km/h	1	193
Acceleration (0-100 km/h)		sec.	1	0.2
	Low	lit./100 km	1	2.2
	Medium	lit./100 km	3	8.1
Fuel consumption*1	High	lit./100 km		7.1
	Extra-High	lit./100 km	3	3.7
	Combined	lit./100 km	3	3.6
	Low	g/km	2	276
	Medium	g/km	1	183
CO <sub>2</sub> emissions*1	High	g/km	1	161
	Extra-High	g/km	1	196
	Combined	g/km	1	193
External noise level*2		dB(A)		67
Drivetrain				
All-Wheel Drive type			Active Torque S	Split AWD system
Dimensions & weight				
Overall length		mm	4	870
Overall width		mm	1	875
Overall height		mm	1670	1675
Wheelbase		mm	2	745

			Symmetrical AWD	(All-Wheel Drive)	
Item			2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	
T.C.III			2.5L Direc	t Injection	
			Linear	rtronic	
Track	Front	mm	15	70	
THE CK	Rear	mm	16	00	
Minimum road clearance (at kerb weight)		mm	213		
Cargo volume*3		lit.	17	50	
Seating capacity		persons	!	5	
Kerb weight		kg	1666	1667	
Towing capacity		kg	20	00	
Transmission					
	D range (Lineartronic)		4.066	- 0.503	
	1st		4.066 (Mai	nual mode)	
	2nd		2.628 (Manual mode)		
	3rd		1.911 (Manual mode)		
Gear ratio	4th		1.490 (Manual mode) 1.166 (Manual mode)		
Gearrano	5th				
	6th		0.914 (Mar	nual mode)	
	7th		0.717 (Mar	nual mode)	
	8th		0.559 (Mai	nual mode)	
	Reverse		4.3	379	
Final drive axle ratio			3.9	200	
Chassis					
Steering			Rack and pinion, electri	c power steering syste	
Suspension	Front		MacPherso	n strut type	
(4-wheel independent)	Rear		Double wis	hbone type	
Minimum turning circle at tyre (radius)		m	5	.5	
Brakes	Front		Ventilated	disc brakes	
Diaves	Rear		Ventilated	disc brakes	
Tyre/wheel size			225/60R1	18, 18×7″J	

<sup>\*1</sup> Fuel consumption and CO $_2$  emissions: according to EC 715/2007 - 2023/443EA. \*2 External noise: according to EU 540/2014 - 2019/839. \*3 Measured by VDA (V214).

### STANDARD AND OPTIONAL FEATURES

ltem	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
		2.5L Direc	t Injection	
Exterior				
LED Headlamps with Auto-leveliser	•	•	•	•
LED Front Fog Lamps	•	•	•	•
LED Rear Combination Lamps	•	•	•	•
LED Rear Fog Lamp	•	•	•	•
Power-folding Door Mirrors	•	•	-	-
Key-linked Folding Door Mirrors	_	_	•	•
UV Protection Glass: Front Side Windows	•	•	•	•
Privacy Glass for Rear Side Windows, Rear Quarters and Rear Window	•	•	•	•
18-inch Aluminium-alloy Wheels (dark gray)	•	-	-	-
18-inch Aluminium-alloy Wheels (dark metallic)	-	•	•	_
18-inch Aluminium-alloy Wheels (machined)	-	-	-	•
High Gloss Black Front and Rear Bumper Guards	_	•	•	-
Silver-plated Front and Rear Underguards	•	-	-	•
Side Claddings	<b>•</b> *1	<b>●</b> *²	<b>●</b> *²	<b>●</b> *1
Power-sliding, Tilt-adjustable Glass Sunroof	-	-	•	•
Roof Rails	_	•	•	-
Cross Bar Roof Rails	•	-	-	•
Roof Spoiler	•	•	_	•
Roof Spoiler (crystal black)	-	-	•	-
Rear Garnish	•	•	-	•
Rear Garnish (crystal black)	-	-	•	-
Shark Fin Antenna	•	<b>●</b> *³	<b>●</b> *³	•

#### Standard on all models:

- Auto On/Off Headlamps Pop-up Type Headlamp Washers Variable Intermittent Windshield Wipers
- Automatic Rain-sensing Windshield Wipers Intermittent Rear Window Wiper

Seating / Trims				
Leather-wrapped Steering Wheel with Silver Stitching	•	•	-	_
Smooth Leather-wrapped Steering Wheel with Silver Stitching	_	_	•	•
Leather-wrapped Gearshift Knob	•	•	•	•
Heated Steering Wheel	•	•	•	•
Fabric Seats	•	-	-	-
Polyurethane Seats	_	•	_	-
Nappa Leather Seats	Option	-	•	•
Front Seat Heaters	•	•	•	•
Rear Seat Heaters	•	•	•	•
10-way Power-adjustable Driver's Seat with Lumbar Support	•	•	•	•

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
		2.5L Direc	t Injection	'
Driver's Memory Seat-linked Door Mirrors with Reverse Auto-tilt	-	-	•	•
Driver's Seat with Length-adjustable Seat Cushion	•	•	•	•
8-way Power-adjustable Front Passenger's Seat	•	•	•	•
60/40-split Folding Rear Seatbacks	•	•	•	•
Reclining Rear Seatbacks	•	•	•	•
One-touch Folding Rear Seatbacks	•	•	•	•
Adjustable Front Headrests	•	•	•	•
Divided Seatback Pockets (behind both front seats)	•	•	•	•
Comfort / Convenience				
Keyless Access with Push-button Start System	•	•	•	•
PIN Code Access	•	•	•	•
Centre Console Side Pocket (passenger's side)	•	•	•	•
Passenger-side Front Tray	•	•	•	•
Two 12-volt Power Outlets (in glove box and luggage space)	•	•	•	•
Hands-free Power Rear Gate	Option	Option	•	•
Cargo Hooks (x4)	•	-	-	_
Cargo Hooks (x8)	-	•	•	•
Lifting and Retractable Cargo-area Cover	•	•	•	•
Storage Box (under cargo floor)	•	•	•	•
Tyre Repair Kit	•	•	•	•

#### Standard on all models:

Climate Control				
Dual-zone Automatic Air-conditioning System	•	•	•	•
Voice-controlled Air-conditioning	•	•	•	•
Heated Door Mirrors	•	•	•	•

#### Standard on all models:

• Rear Ventilation System • Windshield Wiper De-icer • Electric Rear Window Defogger with Timer

Entertainment				
11.6-inch Full HD Display Audio System with 6 Speakers	•	•	•	•
11.6-inch Full HD Display Audio System with Navigation and 6 Speakers	Option	Option	_	Option
11.6-inch Full HD Display Premium Audio System with Navigation, 11 Harman/Kardon Speakers + Subwoofer + 8 Channel Amplifier	-	-	Option	Option
Apple CarPlay*5 / Android Auto*6 Infotainment System*7	•	•	•	•

### STANDARD AND OPTIONAL FEATURES

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
		2.5L Direc	t Injection	
PIN Code Lock	•	•	•	•
Steering Wheel-mounted Audio Remote Control Switches	•	•	•	•
Voice Recognition System	•	•	•	•
Bluetooth®*8 Audio Streaming and Hands-free Phone Connectivity	•	•	•	•
USB Ports (Type-A and C) and Auxiliary Audio Input Jack (in centre panel)	•	•	•	•
USB Type-A and C Power Ports behind Centre Console Box	•	•	•	•
Control / Instruments				
Dual-gauge Layout with Full-colour LCD Meter Display	•	•	•	•
Tilt-adjustable / Telescopic Steering Wheel	•	•	•	•
Paddle Shifters	•	•	•	•
Cruise Control	•	•	•	•
Aluminium Pedals	_	•	•	•
Drivability				
SI-DRIVE (SUBARU Intelligent Drive)*9	•	•	•	•
Dual-function X-MODE	•	•	•	•
Hill Descent Control	•	•	•	•
Auto Vehicle Hold	•	•	•	•
Active Torque Vectoring	•	•	•	•
Vehicle Dynamics Control System	•	•	•	•

#### Standard on all models:

• Auto Start Stop • Electronic Parking Brake

EyeSight				
Pre-Collision Braking System	•	•	•	•
Autonomous Emergency Steering	•	•	•	•
Adaptive Cruise Control	•	•	•	•
Lane Centring Control and Preceding Vehicle Adaptive Steering Control	•	•	•	•
Lane Departure Prevention*10	•	•	•	•
Emergency Lane Keep Assist	•	•	•	•
Pre-Collision Throttle Management	•	•	•	•
Lead Vehicle Start Alert	•	•	•	•
Traffic Sign Recognition	•	•	•	•
Intelligent Speed Limiter	•	•	•	•
Manual Speed Limiter	•	•	•	•
Vibrating Steering Wheel*11	•	•	•	•
EyeSight Assist Monitor	•	•	•	•
Adaptive Driving Beam (ADB)	•	•	•	•

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
		2.5L Direc	t Injection	
Safety				
Front SRS*12 Airbags	•	•	•	•
Front Side SRS*12 Airbags (driver and front passenger)	•	•	•	•
Curtain SRS*12 Airbags (front and rear, both sides)	•	•	•	•
Knee SRS*12 Airbag (driver)	•	•	•	•
Seat Cushion SRS*12 Airbag (front passenger)	•	•	•	•
Steering Responsive Headlights (SRH)	•	•	•	•
Subaru Rear Vehicle Detection (SRVD)	•	•	•	•
Reverse Automatic Braking (RAB)	•	•	•	•
Multi View Monitor	-	-	•	•
Rear View Camera	•	•	•	•
Driver Monitoring System	•	•	•	•
eCall (emergency call system)*13	•	•	•	•

#### Standard on all models:

- Seatbelt Indicator Height-adjustable Seatbelt Anchors (driver and front passenger)
- Locking-tongue Front Seatbelts with Pretensioners and Load Limiters
- Rear 3-point Seatbelts for 3 Seating Positions 4-wheel Antilock Braking System (ABS) Brake Assist System
- Brake Override Post-Collision Brake Control ISO-FIX Adapted Child Seat Anchors (with tether anchors)
- Rear Seat Reminder Child-proof Rear Door Locks (both sides) Engine Immobiliser

Standard and optional features, model lineup may vary according to market. Please contact your local authorised Subaru retailer for more details.

<sup>\*1</sup> Silver Outback logo.

<sup>\*2</sup> Green Outback logo.

<sup>\*3</sup> FIELD and GEYSER models come with a crystal black antenna.

<sup>\*4</sup> Front side and rear side windows have auto up/down function with pinch protection.

<sup>\*5</sup> Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.

<sup>\*6</sup> Android and Android Auto are trademarks of Google Inc.

<sup>\*7</sup> Apple CarPlay and/or Android Auto may not be available for all models and regions.

<sup>\*8</sup> Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.

<sup>\*9</sup> Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode). \*10 Helps prevent unintended road departure, even on roads without lane markings. By recognising boundaries outside the

road such as grass, it can assist with steering operation to keep your vehicle in the lane. \*11 Can deactivate vibration and switch to audible alarm via 11.6-inch touchscreen display.

<sup>\*12</sup> SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

<sup>\*13</sup> eCall for this vehicle cannot be used in areas where 2G networks are unavailable.